Релиз в App Store

1. Xcode-Preferences-Accounts. Выбираем слева свой аккаунт (если нету - добавляем). Потом справа-снизу View Details.

	igor.khmurets@gmail.com igor.khmurets@gmail.com		Apple ID: igor.khmurets@gmail.com			
1	subzero@mapswithme.com subzero@mapswithme.com		Description:	igor.khmurets@g	mail.com	
Repo	sitories					
×	afisha ssh://github.com/jerminal/afish		News		:05	Mar
×	Afisha git@github.com:jerminal/Afisha.git	0	MapsWithMe	e GmbH	Member	Join
×	Afisha_iOS git@github.com:jerminal/Afisha	0				
×	bluelights ssh://git@bitbucket.org/gogosa					
×	carnet ssh://git@bitbucket.org/gogosa					
×	Carnet					Dataila

2. Нажимаем на refresh в левом нижнем углу. Тем самым подтягиваем свежие профили.

Signing Identities	Platform Status	
iOS Development	iOS Valid	
+ 🔆	sWithMe GmbH	Memb
Provisioning Profiles	Expiration Entitlemer	nts
iOS Team Provisioning Profile: com.guide	ewithme.e 7/24/15 🥮 🚱	
iOS Team Provisioning Profile: com.guide	ewithme.c 7/24/15 🥮 😵	
Sri Lanka GuideWithMe	6/27/15 🥮 🛞	
Switzerland GuideWithMe	6/27/15 🥮 🛞	
API Example – Capitals AppStore	6/27/15 🥮 🚱	
Czech Republic GuideWithMe	6/27/15 🥮 🛞	

- 3. Теперь собираем билд. Проверяем, что сборка под девайс, а не симулятор.
- 4. В схеме выбираем вкладку Archive и ставим там Production.



5. Product -> Archive

File	Edit	View	Fir	nd	Navigate	Editor	Product	Debug	Source	Control W
🔕 Maps	sWithMe	Pro 👌	iOS	Devi	ice		Run Test	Conclusion of the	₩R ₩U	aps — 📠 M me dbg on iPa
main.m	m				Searc	hView.mm	Applyze		መ ት	Controller.mn
	-	Ģ		•	🕨 🙍 Map	s 👌 🚞 Clas	Analyze		L	I –viewDidLo
5 SDK 7.1			596 597	}	[super view	VillDisapp	Build Fo	or	►	
ks			598 599	- 1	(void)viewDi	idDisappea	Perform	Action		
haring			601 602	ľ	[super viewD if (!self.bo	DidDisappe ottomMenu.	Build Clean		業B ひ業K	
5			603 604 605	}	[self.bott	tomMenu se	Stop		₩.	
<u>!</u> S			606 607	-{	(UIStatusBar	rStyle)pre	Scheme	tion		
Jrces			608 609		BOOL topView if (self.ap)	vsAreHidde Mode)	Destina	tion		age.state ≕
s-iPad			610 611		return UIS	StatusBar	Create	Bot		
Resources			612		return top	ViewsAre	lidden ? UI	StatusBar	StyleDefa	ult : UIStatu
rks			613 614	}						

4. Нажимаем Distribute справа и дальше 2 варианта.

1-й вариант: Выбираем Submit to the iOS App Store. Если там все ок, то круто.

	Organizer – Archives	×**
Name MapsWi Mi MapsWi Mi MapsWi Mi MapsWi Mi MapsWi Mi MapsWi Mi Mi Mi Mi Mi Mi Mi Mi Mi Mi Mi Mi Mi	od of distribution: the iOS App Store age and submit application to the iOS App Store. nterprise or Ad Hoc Deployment ackage application for distribution outside of the iOS App Store. Xcode Archive entire Xcode archive of this application. Previous Next	Validate Distribute

2-й вариант: Если первый не прошел, то выбираем Save for Enterprise or Ad Hoc Deployment. Там выбираем профиль для App Store и на выходе получаем *ipa файл. Качаем эпловскую тулзу Application Loader. В ней логинимся и подсовываем наш собранный и подписанный ipa.

• Malaysia Trav 1.4	Czech Republ 1.4	hk .lt 9 Kong Tr 1.4	av 1.4 • Poland Travel 1.4
Search			
Name :	starts with 🗘		
Apple ID :			
SKU :	starts with +		
Status :			\$
		s	earch
Developer Guides	Deliver Your Apps	Video Tutorials	Manage Your Apps
English	Download Application Loader	Adding an App	Resource Center
Japanese	Application Loader User Guide	Delivering Your Binary	Game Center Groups
Chinese (Simplified)	App Metadata Specification	Transferring an App	iCloud Manage Display Sets
App Store Design Guidelines	Transporter User Guide		In-App Purchases Shared Secret